

ChargePilot - Integrated Charging Stations and available features



	Supplier	Alfen				Compleo Charging Solutions
	Model	Eve S-Line	Eve Single Pro-Line	Eve Double Pro-Line	Eve Double PG-Line	Advanced WM Solo
	Maximum Power	7,2 kW AC	22 kW AC	2x22 kW AC 2x11/1x22 kW AC	2x22 kW AC	22 kW AC
CPO & MSP	Monitoring & Error/Alert Management	✓	✓	✓	✓	✓
	Remote Control	✓	✓	✓	✓	✓
	Statistics per Chargepoint	✓	✓	✓	✓	✓
	Statistics per RFID	-	✓	✓	✓	✓
	RFID Management	-	✓	✓	✓	✓
	Billing	-	- *	✓	✓	✓
	3 rd Party CPO compatible	✓	✓	✓	✓	✓
Smart Charging	Load Management	✓	✓	✓	✓	✓
	Fleet Management	-	✓	✓	✓	✓
	Fallbackmode **	✓	✓	✓	✓	✓

*) Not fulfilling German calibration law, usable for billing in other countries (e.g. CH, AUT, NL, FR,...)

**) In case the connection to ChargePilot gets lost, the station will limit power to a preconfigured fallback value.

ChargePilot - Integrated Charging Stations and available features



	Supplier	KEBA		ABB		ABL	
	Model	x-series	c-series	EVLunic Pro M	EVLunic Pro S	emH2	eMH3
	Maximum Power	22 kW AC	22 kW AC	22 kW AC	22 kW AC	22 kW AC	2x11/1x22 kW AC
CPO & MSP	Monitoring & Error/Alert Management	✓	✓	✓	✓	✓	✓
	Remote Control	-	-	-	-	✓	✓
	Statistics per Chargepoint	✓	✓	✓	✓	✓	✓
	Statistics per RFID	-	-	-	-	✓	✓
	RFID Management	-	-	-	-	✓	✓
	Billing	-	-	-	-	-*	✓
	3 rd Party CPO compatible	-	-	-	-	✓	✓
Smart Charging	Load Management	✓	✓	✓	✓	✓	✓***
	Fleet Management	-	-	-	-	✓	✓
	Fallbackmode**	✓	✓	✓	✓	✓	✓

*) Not fulfilling German calibration law, usable for billing in other countries (e.g. CH, AUT, NL, FR,...)

**) In case the connection to ChargePilot gets lost, the station will limit power to a preconfigured fallback value.

***) Eichrechtskonform version not compatible with dynamic Loadmanagement.

ChargePilot - Integrated Charging Stations and available features



	Supplier	Heliox	Tritium
	Model	All Models	Veefil RT 50kW
	Maximum Power	150 kW DC (CCS)	50 kW DC
CPO & MSP	Monitoring & Error/Alert Management	✓	✓
	Remote Control	✓	✓
	Statistics per Chargepoint	✓	✓
	Statistics per RFID	✓***	✓
	RFID Management	✓***	✓
	Billing	-*	-*
	3 rd Party CPO compatible	✓	✓
Smart Charging	Load Management	✓	✓
	Fleet Management	✓***	✓
	Fallbackmode**	✓	✓

*) Not fulfilling German calibration law, usable for billing in other countries (e.g. CH, AUT, NL, FR,...)

**) In case the connection to ChargePilot gets lost, the station will limit power to a preconfigured fallback value.

***) EV must be capable of sending MAC-Adress, which is used instead of RFID